



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: 601 to 606, 6th floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover,

S.G. Highway, Ahmedabad, Gujarat-382481. Ph.: 079-27661103 / 27661104

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913

www.somanyceramics.com | e-mail **marketing@somanyceramics.com**

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics



CERAMIC / CAT / OCTOBER 2023



Ceramica

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY



DIGITAL WALL TILES

COLLECTION

PLANT : ANDHRA PRADESH - FOR SOUTH



Anik

Anik Light, Anik HL 01, Anik Dark
F-Anik Dark, Matt [300x300mm]

Aaren



V4 Aaren Light, Glossy
300x450mm



V1 Aaren HL 01, Glossy
300x450mm



V1 Aaren HL 02, Glossy
300x450mm




V4 Aaren Dark, Glossy
300x450mm



F-Aaren Dark, Matt
300x300mm


Abdon



V1 Abdon Crema, Glossy
300x450mm



V1 Abdon HL 01, Glossy
300x450mm



V1 Abdon Rosso, Glossy
300x450mm


Anik



V2 Anik Light, Glossy
300x450mm



V1 Anik HL 01, Glossy
300x450mm



V1 Anik HL 02, Glossy
300x450mm



V2 Anik Dark, Glossy
300x450mm



F-Anik Dark, Matt
300x300mm

Avoca



V1 Avoca Grey Light, Glossy
300x450mm



V1 Avoca Grey HL 01, Glossy
300x450mm



V1 Avoca Grey Dark, Glossy
300x450mm



Avoca Grey Dark, Matt
300x300mm

Baran



V2 Baran Light, Glossy
300x450mm



V1 Baran HL 01, Glossy
300x450mm



V1 Baran HL 02, Glossy
300x450mm



V2 Baran Dark, Glossy
300x450mm



F-Baran Dark, Matt
300x300mm

Caldia



V1 Caldia Bianco, Glossy
300x450mm



V1 Caldia HL 01, Glossy
300x450mm




V1 Caldia Black, Glossy
300x450mm



Caldia Black, Matt
300x300mm

Celine



V1 Celine Grey Light, Glossy
300x450mm



V1 Celine Grey HL 01, Glossy
300x450mm



V1 Celine Grey Dark, Glossy
300x450mm



F-Janick Dark, Matt
300x300mm

Contex



V2 Contex Natural, Glossy
300x450mm



V1 Contex HL 01, Glossy
300x450mm



V2 Contex Coffee, Glossy
300x450mm



F-Contex Coffee, Matt
300x300mm

Darian



V2 Darian Light, Glossy
300x450mm



V1 Darian HL 01, Glossy
300x450mm



V1 Darian HL 02, Glossy
300x450mm



V2 Darian Dark, Glossy
300x450mm



F-Darian Dark, Matt
300x300mm

Dianna



V2 Dianna Crema, Glossy
300x450mm



V1 Dianna HL 01, Glossy
300x450mm



V2 Dianna Beige, Glossy
300x450mm



F-Cesar Brown, Matt
300x300mm

Diva



V1 Diva Light, Glossy
300x450mm



V1 Diva HL 01, Glossy
300x450mm



V1 Diva HL 02, Glossy
300x450mm

Enoa



V2 Enoa Light, Glossy
300x450mm



V1 Enoa HL 01, Glossy
300x450mm



V1 Enoa HL 02, Glossy
300x450mm



V2 Enoa Dark, Glossy
300x450mm



F-Enoa Dark, Matt
300x300mm

Ernest



V1 Ernest Silver, Glossy
300x450mm



V1 Ernest HL 01, Glossy
300x450mm




V1 Ernest Gris, Glossy
300x450mm



F-Nemi Grey Dark, Matt
300x300mm

Frantz




V1 Frantz Light, Glossy
300x450mm



V1 Frantz HL 01, Glossy
300x450mm

Gerit



V3 Gerit Light, Glossy
300x450mm



V1 Gerit HL 01, Glossy
300x450mm




V3 Gerit Dark, Glossy
300x450mm



F-Gerit Dark, Matt
300x300mm

Janick



V2 Janick Light, Glossy
300x450mm



V1 Janick HL 01, Glossy
300x450mm



V2 Janick Dark, Glossy
300x450mm



F-Janick Dark, Matt
300x300mm

Karo



V2 Karo Light, Glossy
300x450mm



V2 Karo HL 01-A, Glossy
300x450mm



V2 Karo HL 01-B, Glossy
300x450mm

Kiano





V1 Kiano Light, Glossy
300x450mm



V2 Kiano HL 01-A, Glossy
300x450mm



V2 Kiano HL 01-B, Glossy
300x450mm



Orsi
Orsi Almond, Orsi HL 01
Orsi Brown

Leyan



V3 Leyan Light, Glossy
300x450mm



V1 Leyan HL 01, Glossy
300x450mm



F-Leyan Light, Matt
300x300mm

Loren



V2 Loren Light, Glossy
300x450mm



V1 Loren HL 01, Glossy
300x450mm



V2 Loren Dark, Glossy
300x450mm



F-Loren Dark, Matt
300x300mm

Maiko



V2 Maiko Light, Glossy
300x450mm



V1 Maiko HL 01, Glossy
300x450mm



V2 Maiko HL 02, Glossy
300x450mm



V2 Maiko Dark, Glossy
300x450mm




F-Gerit Dark, Matt
300x300mm

Misha



V2 Misha Light, Glossy
300x450mm



V1 Misha HL 01, Glossy
300x450mm



V1 Misha HL 02, Glossy
300x450mm



V2 Misha Dark, Glossy
300x450mm



F-Misha Dark, Matt
300x300mm

Moro



V1 Moro Natural, Glossy
300x450mm



V1 Moro HL 01, Glossy
300x450mm



V1 Moro Honey, Glossy
300x450mm



F-Almire Sand, Matt
300x300mm

Nemi



V1 Nemi Grey Light, Glossy
300x450mm



V1 Nemi HL 01, Glossy
300x450mm



V1 Nemi Grey Dark, Glossy
300x450mm



F-Nemi Grey Dark, Matt
300x300mm

Nevis



V2
Nevis Light, Glossy
300x450mm



V1
Nevis HL 01, Glossy
300x450mm



V2
Nevis Dark, Glossy
300x450mm



F-Nevis Dark, Matt
300x300mm

Oken



V1
Oken Crema, Glossy
300x450mm



V1
Oken HL 01, Glossy
300x450mm



V1
Oken Brown, Glossy
300x450mm



F-Almire Sand, Matt
300x300mm

Orsi



V1
Orsi Almond, Glossy
300x450mm



V1
Orsi HL 01, Glossy
300x450mm



V1
Orsi Brown, Glossy
300x450mm



F-Almire Sand, Matt
300x300mm

Osva



V1
Osva Light, Glossy
300x450mm



V1
Osva HL 01 A, Glossy
300x450mm



V1
Osva HL 01 B, Glossy
300x450mm

Palmer



V1
Palmer Light, Glossy
300x450mm



V1
Palmer HL 01, Glossy
300x450mm



V1
Palmer Dark, Glossy
300x450mm



F-Palmer Dark, Matt
300x300mm

Rayn



V2
Rayn Light, Glossy
300x450mm



V1
Rayn HL 01, Glossy
300x450mm



V2
Rayn Dark, Glossy
300x450mm



F-Rayn Dark, Matt
300x300mm

Resia



V1 Resia Crema, Glossy
300x450mm



V1 Resia HL 01, Glossy
300x450mm




V1 Resia Beige, Glossy
300x450mm



F-Baran Dark, Matt
300x300mm

Skylor



V2 Skylor Light, Glossy
300x450mm



V1 Skylor HL 01, Glossy
300x450mm




V2 Skylor Dark, Glossy
300x450mm



F-Skylor Dark, Matt
300x300mm

Tailor



V1 Tailor Grey Light, Glossy
300x450mm



V1 Tailor Grey HL 01, Glossy
300x450mm



V1 Tailor Grey Dark, Glossy
300x450mm



F-Nevis Dark, Matt
300x300mm

Venom



V1 Venom Crema, Glossy
300x450mm



V1 Venom Brown HL 01, Glossy
300x450mm



V1 Venom Brown, Glossy
300x450mm



F-Cesar Brown, Matt
300x300mm


Venom



V1 Venom Silver, Glossy
300x450mm



V1 Venom Grey HL 01, Glossy
300x450mm



V1 Venom Grey Dark, Glossy
300x450mm



F-Janick Dark, Matt
300x300mm

Venom



V1 Venom Light, Glossy
300x450mm



V1 Venom HL 01, Glossy
300x450mm



V1 Venom Dark, Glossy
300x450mm



F-Skylor Dark, Matt
300x300mm



Skylor

Skylor Light, Skylor HL 01, Skylor Dark
F-Skylor Dark, Matt [300x300mm]

Venom



V1
Venom Ivory, Glossy
300x450mm



V1
Venom Olive HL 01, Glossy
300x450mm




V1
Venom Olive, Glossy
300x450mm



F-Venom Olive, Matt
300x300mm

White



V1
White, Glossy
300x450mm

Almire



V1
Almire Natural, Matt
300x450mm



V1
Almire HL 01, Matt
300x450mm



V1
Almire Sand, Matt
300x450mm



F-Almire Sand, Matt
300x300mm

Bronte



V1
Bronte Natural, Matt
300x450mm



V1
Bronte HL 01, Matt
300x450mm




V1
Bronte Brown, Matt
300x450mm



F-Bronte Brown, Matt
300x300mm

Cesar



V1
Cesar Crema, Matt
300x450mm



V1
Cesar HL 01, Matt
300x450mm




V1
Cesar Brown, Matt
300x450mm



F-Cesar Brown, Matt
300x300mm

Leona



V1 Leona Wood Light, Matt
300x450mm



V1 Leona Wood HL 01, Matt
300x450mm



V1 Leona Wood Dark, Matt
300x450mm



F-Leona Wood Dark, Matt
300x300mm


Lezin



V1 Lezin Crema, Matt
300x450mm



V1 Lezin HL 01, Matt
300x450mm




V1 Lezin Cherry, Matt
300x450mm



F-Lezin Cherry, Matt
300x300mm

Mile



V1 Mile Light, Matt
300x450mm



V1 Mile HL 01, Matt
300x450mm



V1 Mile HL 02, Matt
300x450mm



V1 Mile Dark, Matt
300x450mm



F-Mile Dark, Matt
300x300mm

Nonce



V1 Nonce Silver, Matt
300x450mm



V1 Nonce HL 01, Matt
300x450mm



V1 Nonce Taupe, Matt
300x450mm



F-Nonce Taupe, Matt
300x300mm

Reine



V1 Renie Light, Matt
300x450mm



V1 Renie HL 01, Matt
300x450mm




V1 Renie Dark, Matt
300x450mm



F-Renie Dark, Matt
300x300mm


Polar



Polar White, Matt
300x300mm



Polar Flora, Matt
300x300mm




Polar Blue, Matt
300x300mm


DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.


Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.




V1 Uniform Appearance



V2 Slight Variation



V3 Moderate Variation



V4 Substantial Variation

The classification is as follow:

V1 Minimal Variation V2 Slight Variation V3 Random Variation V4 Substantial Variation



High Definition Image

While Laying the tiles please follow the arrow Mark on the back of the tiles

For removing the wax from the surface of the tiles please use the soft cotton cloth
for rubbing with any boric/talc powder

PACKING DETAIL FOR DIGITAL WALL TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
300x450mm	8.0	11.0	6	0.81sq.mtr./8.72sq.ft.
300x300mm-F	8.0	11.0	9	0.81sq.mtr./8.72sq.ft.

TECHNICAL SPECIFICATION FOR DIGITAL WALL TILES				
Characteristics	Requirment as per IS 15622: 2017 E ≥ 10, Group BIII	Requirements as per ISO 13006 E ≥ 10, Group BIII	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.20%	± 0.50%	± 0.1%	IS 13630 Part 1/ISO 10454-2
ii) Thickness	± 5.0%	± 10.0%	± 4.0%	
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.1%	
iv) Rectengularity	± 0.20%	± 0.50%	± 0.2%	
v) Surface Flatness Max Deveation in %				
a) Center curvature related to diagonal	± 0.30%	`+0.5% / -0.3%	± 0.22 %	
b) Edge curvature related to corresponding side	± 0.30%	`+0.5% / -0.3%	± 0.22 %	Min. 95 % of tiles will be free from visible defects.
c) warpage related to diagonale	± 0.30%	± 0.5%	± 0.22 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	
B) Physical Properties				
I) Water Absorption	E ≥ 10 %. (when the value exceeds 20 % this shall be indicated by the manufacturer) Individual 9 percent, Min.	E ≥ 10 %. (when the value exceeds 20 % this shall be indicated by the manufacturer) Individual 9 percent, Min.	Avg. 10-20 %	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Min 15	Average Min 15	Average Min 15	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min 600	Not Less than 600	Min 600	
iv) Scratch Hardness of surface (Mohs)	Min 3	–	Min 3	IS 13630 Part 13
v) Coefficient of linear thermal expansion from ambient temperature to 100° C	9 X 10 ⁻⁶ K ⁻¹ max	–	8 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ISO 10545-8
vi) Thermal Shock Resistance	10 cycle min	10 cycle min	10 cycle min	IS 13630 Part 5/ISO 10545-9
vii) Crazing Resistance	4 cycle @ 7.5bar min	Manufacturer to Declared	4 Cycle @ 7.5 bar Min	IS 13630 Part 9/ISO 10545-11
C) Chemical Properties				
I) Stain Resistance	Min Class 1	Required	Class-1	IS 13630 Part 8 /ISO 10545-13 & ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Required	Min Class AA	
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Required	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order. Technical Specifications for Somany Wall & Floor Tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

SOMANY
Bathware

Our PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

SOMANY

Ezy Fix
TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE



BENEFITS

- » READY AND EASY TO USE
- » EXCELLENT BONDING WITH ALL SURFACES
- » FAST SETTING
- » SELF-CURING

USES

- » FOR FIXING ALL TYPE OF TILES
- » FOR NEW FLOORING AND RENOVATION
- » CAN BE USED FOR TILE ON TILE